

Risk Communication in Dentistry: Bridging the Knowledge Gap

SAHIL GORSI

A C Effective risk communication in dentistry is essential for patient safety and trust. Dentists must provide clear, tailored information, promote shared decision-making, and offer emotional support. Dental procedures inherently involve risks, ranging from minor discomfort to more serious complications. Effective risk communication is essential for informed decision-making and patient autonomy. However, communicating risks in dentistry presents unique challenges, including the complexity of dental procedures, varying levels of patient health literacy, and cultural differences in perceptions of risk. Transparency, continuous education, and adherence to legal and ethical guidelines are key components in enhancing patient care and satisfaction.

KEYWORDS: Informed Consent, Risk, Patient Education

INTRODUCTION

Effective communication is a cornerstone of healthcare, and dentistry is no exception. Dentists, as healthcare providers, must not only be skilled in diagnosing and treating oral health issues but also proficient in conveying information to patients regarding potential risks and benefits associated with various treatment options. This article explores the importance of risk communication in dentistry, strategies for improving it, and its role in ensuring patient satisfaction and informed decision-making.

THE SIGNIFICANCE OF RISK COMMUNICATION IN DENTISTRY

Dentistry involves a range of procedures, from routine cleanings to complex surgeries. Regardless of the treatment, there are inherent risks associated with each procedure. Patients need to be aware of these risks to make informed decisions about their oral healthcare.

EFFECTIVE RISK COMMUNICATION SERVES SEVERAL CRITICAL PURPOSES

a). Informed Decision-Making: Patients have the right to make decisions about their dental care based on a clear understanding of the risks and benefits. Proper risk communication empowers patients to make informed choices that align with their preferences and values.

b). Building Trust: Effective communication fosters trust between dentists and patients. When patients feel

heard and informed, they are more likely to trust their dentist's recommendations and follow through with treatment plans.

c). Reducing Anxiety: Dental procedures can be anxiety-inducing for many patients. Knowing what to expect, including potential risks, can alleviate anxiety and improve the overall patient experience.

d). Enhancing Compliance: Patients who understand the risks of not following through with treatment are more likely to comply with prescribed regimens, leading to better treatment outcomes.

CHALLENGES IN RISK COMMUNICATION

Effective risk communication in dentistry can be challenging due to various factors, including:

a). Complex Terminology: Dental professionals often use technical jargon that patients may not understand. Simplifying language and providing visual aids can help bridge this gap.¹

b). Time Constraints: Dentists may feel rushed during appointments, leaving limited time for thorough communication. Allocating dedicated time for discussions about risks and benefits is crucial.²

c). Patient Anxiety: Patients' anxiety can hinder their ability to absorb information. Dentists should

© Sahil Gorsi. This is an open access article distributed under the terms of the Creative Commons Attribution License CC-BY-NC 4.0, which permits unrestricted use, distribution and reproduction in any medium, provided the use is not commercial and the original author(s) and source are cited. **Submitted on:** 03-Dec-2023; Accepted on: 29-Feb-2024

acknowledge these concerns and provide reassurance and support.³

STRATEGIES FOR IMPROVING RISK COMMUNICATION

a). Clear and Simple Language: Use plain language when discussing risks and benefits. Avoid jargon and explain complex concepts in understandable terms.¹

b). Visual Aids: Visual aids, such as diagrams and models, can enhance understanding and retention of information.⁴

c). Active Listening: Encourage patients to ask questions and express their concerns. Active listening helps tailor communication to individual patient needs.⁵

d). Written Materials: Provide written materials that summarize key points about risks and benefits. This allows patients to review information at their own pace.⁶

e). Informed Consent: Ensure patients sign informed consent forms that outline potential risks and benefits before undergoing any procedure.⁷

CONCLUSION

In dentistry, effective risk communication is essential for promoting patient autonomy, building trust, and improving treatment outcomes. Dentists must recognize the unique challenges they face in conveying information to patients and employ strategies to overcome these barriers. By fostering open, honest, and patient-centered communication, dentists can ensure that their patients are well-informed and actively participate in their oral healthcare decisions.

In the ever-evolving landscape of healthcare, dentistry included, the ability to communicate risk effectively will continue to be a vital skill for healthcare professionals.

REFERENCES

1. Epstein RM, Street RL Jr. Patient-Centered Communication in Cancer Care: Promoting Healing and Reducing Suffering. National Cancer Institute. Journal of Cancer Therapy 2016;7(2); 20161.

2. Levinson W. Physician-Patient Communication: The Relationship with Malpractice Claims Among Primary Care Physicians and Surgeons. JAMA The Journal of the American Medical Association 2008;277(7):553-9. 3. Lee S, McGrath C, Samman N. Impact of orthognathic surgery on quality of life. J Oral Maxillofac Surg. 2008;66(6):1194-9. https://doi.org/10.1016/j.joms.2008.01.006.

4. Pratt M, Searles GE. Using Visual Aids to Enhance Physician-Patient Discussions and Increase Health Literacy. J Cutan Med Surg. 2017;21(6):497-501. https://doi.org/10.1177/1203475417715208. 4

5. Lang EV. Adjunctive Nonpharmacological Analgesia for Invasive Medical Procedures: A Randomized Trial." Mayo Clinic Proceedings. 2000;29;355(9214):1486-90.

6. Paling J. Strategies to Help Patients Understand Risks. British Medical Journal 2003;327(7417):745-8.

7. Porcellini G, Campi F, Paladini P, Rossi P, Lollino N. Informed consent in shoulder surgery. Chir Organi Mov. 2008;91(2):103-7. https://doi.org/10.1007/s12306-007-0018-z.

Cite this article as:

Gorsi S. Risk Communication in Dentistry: Bridging the Knowledge Gap. Int Healthc Res J. 2024;7(12):RV7-RV9. https://doi.org/10.26440/IHRJ/0712.03607

<u>AUTHOR AFFILIATIONS:</u> (*Corresponding Author)

BDS, Consultant Dental Practitioner, H.No.47, Kangra colony, Amritsar-143001, India. (https://orcid.org/0009-0004-5004-827X)

Source of support: Nil, Conflict of interest: None declared

Contact Corresponding author at: rojersahil[at]gmail[dot]com